

**(4-Hour) Fire Block**



W	H	L
8"	8"	16"
12"	8"	16"


**45 Degree Stretcher with Flat End**



[Video-8" \(AVI\)](#)

W	H	L
8"	8"	16"


**A-Block**



[Technical Specs-8"\(PDF\)](#)

W	H	L
8"	8"	16"

**Base Block**



[Technical Specs-16"\(PDF\)](#)

W	H	L
16"	4"	16"

**Corner/Breaker/Sash**



[Technical Specs-10"\(PDF\)](#)  
[Technical Specs-6"\(PDF\)](#)  
[Technical Specs-8"\(PDF\)](#)  
[Technical Specs-12"\(PDF\)](#)

W	H	L
6"	8"	16"
8"	8"	16"
10"	8"	16"
12"	8"	16"


**Double Bull-Nose Half Plain**




W	H	L
4"	8"	8"

**Double Bull-Nose Half Sash**

W	H	L
6"	8"	8"
8"	8"	8"
12"	8"	8"

**Double Bull-Nose Partition**

W	H	L
4"	8"	16"

**Double Bull-Nose Stretcher**

W	H	L
6"	8"	16"
8"	8"	16"
12"	8"	16"

**Half Plain**

[Technical Specs-4"\(PDF\)](#)  
[Technical Specs-12"\(PDF\)](#)

W	H	L
4"	8"	8"
12"	8"	8"

**Half Sash**

[Technical Specs-8"\(PDF\)](#)  
[Technical Specs-12"\(PDF\)](#)

W	H	L
6"	8"	8"
8"	8"	8"
12"	8"	8"

**Half Score Stretcher**

[Technical Specs-8"\(PDF\)](#)


W	H	L
8"	8"	16"

<b>Half Score Whole Sash Breaker</b>	<b>W</b>	<b>H</b>	<b>L</b>
No Image Available <a href="#">Technical Specs-8"(PDF)</a>	8"	8"	16"


<b>Half-Core Perimeter</b>	<b>W</b>	<b>H</b>	<b>L</b>
	8"	8"	16"



<b>Half-High Corner/Breaker/Sash</b>	<b>W</b>	<b>H</b>	<b>L</b>
	4"	4"	16"
	8"	4"	16"
	12"	4"	16"



<b>Half-High Stretcher</b>	<b>W</b>	<b>H</b>	<b>L</b>
<a href="#">Technical Specs-8"(PDF)</a>	4"	4"	16"
	8"	4"	16"
	12"	4"	16"



<b>Horse Collar</b>	<b>W</b>	<b>H</b>	<b>L</b>
<a href="#">Technical Specs-8"(PDF)</a> <a href="#">Technical Specs-12"(PDF)</a>	8"	8"	16"
	12"	8"	16"



<b>Knock-Out Bond Beam</b>	<b>W</b>	<b>H</b>	<b>L</b>
<a href="#">Technical Specs-8"(PDF)</a> <a href="#">Technical Specs-12"(PDF)</a>	6"	8"	16"
	8"	8"	16"
	12"	8"	16"



<b>L-Corner</b>	<b>W</b>	<b>H</b>	<b>L</b>
	12"	8"	16"



[Technical Specs-12"\(PDF\)](#)

Partition	W	H	L
	4"	8"	16"




[Technical Specs-4"\(PDF\)](#)

Partition Corner	W	H	L
	4"	8"	12"



[Technical Specs-4"\(PDF\)](#)

Pilaster	W	H	L
	6"	8"	16"
	8"	8"	16"
	10"	8"	16"
	12"	8"	16"




[Technical Specs-8"\(PDF\)](#)

Single Bull-Nose Half Plain	W	H	L
	4"	8"	8"



Single Bull-Nose Half Sash	W	H	L
	6"	8"	8"
	8"	8"	8"
	12"	8"	8"



**Single Bull-Nose Partition**

W	H	L
4"	8"	16"

**Single Bull-Nose Stretcher**

W	H	L
6"	8"	16"
8"	8"	16"
12"	8"	16"

**Solid**

[Technical Specs-1"\(PDF\)](#)  
[Technical Specs-2"\(PDF\)](#)  
[Technical Specs-4"\(PDF\)](#)

W	H	L
1"	8"	16"
2"	8"	16"
4"	8"	16"

**Solid Perimeter**

W	H	L
8"	8"	16"

**Stretcher**

[Technical Specs-6"\(PDF\)](#)  
[Technical Specs-8"\(PDF\)](#)  
[Technical Specs-12"\(PDF\)](#)  
[Technical Specs-10"\(PDF\)](#)


W	H	L
6"	8"	16"
8"	8"	16"
10"	8"	16"
12"	8"	16"

**U-Block Bond Beam**

[Technical Specs-6"\(PDF\)](#)  
[Technical Specs-8"\(PDF\)](#)

W	H	L
6"	8"	16"
8"	8"	16"

**W-Block Bond Beam**



[Technical Specs-12"\(PDF\)](#)

W	H	L
10"	8"	16"
12"	8"	16"

**Whole-Core Perimeter**



W	H	L
8"	8"	16"